



MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT

INM Soleil Top Coat

MSDS DATE: 07/15/03

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Soleil Top Coat

PRODUCT CODES: INMSTC

MANUFACTURER: International Nail Manufacturers (inm)
Division of Nail Cartel, Inc.

ADDRESS: 1221 N. Lakeview Ave.
Anaheim, CA 92807

EMERGENCY PHONE: INFOTRAK: 1-800-535-5053 International: 1-352-323-3500

OTHER CALLS: 1-800-541-9838

FAX PHONE: 1-714-779-9971

CHEMICAL FAMILY: Mixture

PREPARED BY: Steven Tate, Production Manager
1-714-779-9892

SECTION 2: INGREDIENTS

HAZARDOUS COMPONENTS	CASE #	%	ACGTH TLV
<i>ETHYL ACETATE</i>	141-78-6	26-27	400 ppm
<i>n-BUTYL ACETATE</i>	126-86-4	26-27	150 ppm
<i>ISOPROPYL ALCOHOL</i>	67-63-0	26-27	400

SECTION 3: PHYSICAL DATA

<i>Boiling Point (deg. F)</i>	~ 170
<i>Vapor Pressure (mm Hg)</i>	~76
<i>Specific Gravity (H2O = 1)</i>	0.86
<i>Percent Volatile</i>	~88
<i>Vapor Density (Air = 1)</i>	~3
<i>Evaporation Rate (BuOAc)</i>	~1.8
<i>Solubility in Water</i>	Not Soluble
<i>Reactivity in Water</i>	None
<i>Appearance & Color</i>	Clear liquid; Ester Odor
<i>pH</i>	N/A

SECTION 4: FIRE & EXPLOSION HAZARD DATA

FLASH POINT (Test Method):	FLAMMABLE LIMITS	LOWEST KNOWN VALUE:	TAG	U.E.L.	AUTO IGNITION TEMPERATURE
LEL	N/E	30° F -1°C	Closed Up ASTM D 56	2.2	N/E



MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT **INM Soleil Top Coat**

MSDS DATE: 07/15/03

EXTINGUISHING MEDIA (Ethyl Acetate):

FOAM	ALCOHOL	CO2	DRY CHEMICAL	WATER SPRAY	WATER	NOT APPLICABLE	OTHER
	X	X	X				

SPECIAL FIRE FIGHTING PROCEDURES: Wear self contained breathing apparatus with a full facepiece operated in the pressure demand mode.

UNUSUAL FIRE & EXPLOSION HAZARDS: Vapors are heavier than air and may travel along the ground to a source of ignition. Prevent build up of explosive gases to explosive concentrations.

SECTION 5: HEALTH HAZARD DATA

Threshold Limit Value of Product	OSHA TEV	ACGTH TLV	CARCINOGEN
	See Section II	See Section II	None Known

SYMPTOMS OF EXPOSURE AND ROUTES OF ENTRY

EYES: Severe irritation, burning, tearing redness

SKIN: Irritation, defarring, dermatitis [®]

INHALATION: Irritation of respiratory tract, dizziness, nausea, possible unconsciousness

INGESTION: Gastrointestinal irritation, nausea, vomiting. Consult a physician immediately.

FIRST AID

EYES: Wash with water for 15 minutes. Consult a physician.

SKIN: Wash with soap and water. Remove contaminated clothing and footwear.

INHALATION: Move victim to fresh air. If breathing is difficult, give oxygen, Consult a physician.

INGESTION: Drink two glasses of water. Induce vomiting, Consult a physician immediately.

SECTION 6: REACTIVITY DATA

STABILITY	Stable
INCOMPATIBILITY	
CONDITIONS TO AVOID	Avoid elevated temperatures and sources of ignition.
MATERIALS TO AVOID	Avoid strong oxidizing agents and strong acids.
HAZARDOUS POLYMERIZATION:	This will not occur.
HAZARDOUS DECOMPOSITION PRODUCTS:	Oxides of carbon dioxide on incineration.

SECTION 7: ENVIRONMENTAL PROTECTION PROCEDURES



MATERIAL SAFETY DATA SHEET

NAME OF PRODUCT
SPILL RESPONSE

INM Soleil Top Coat

MSDS DATE: 07/15/03

SMALL SPILL: Wipe up or absorb on suitable adsorbent.

WASTE DISPOSAL METHOD:

Remove all sources of ignition. Dike area, Pum liquid into suitable containers for re-work or disposal.

SECTION 8: SPECIAL PROTECTION INFORMATION

EYE PROTECTION:

Safety glasses with face shield..

SKIN PROTECTION:

Impervious gloves and clothing.

RESPIRATORY PROTECTION (Specific type):

If workplace limits are exceeded, use air supplied respirator.

OTHER PROTECTION:

Ventilation Recommended. Ground all containers when not in use.
Forced draft.

SECTION 9: SPECIAL PRECAUTIONS

Hygenic Practices in Handling & Storage

Store in a cool place; Ground all drums; Be sure there is adequate ventilation. Keep closures on containers.

OTHER PRECAUTIONS

Empty drums may contain explosive vapors.

DISPOSAL OF EMPTY CONTAINERS

Flush all containers with water before disposing of them.

SECTION 10: SHIPPING INFORMATION

Proper Shipping Name:

Paint

DOT Hazard Class:

3 (Flammable Liquid)

Packaging Group:

PG II

UN ID Number:

1263

SECTION 11: DISCLAIMER

DISCLAIMER:

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers' intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the MSDS may not be applicable. If one could have any concerns with or problems understanding this MSDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1-800-535-5053.